




# Replaces John Deere 2700 Riding Greens Mower Parts

Verti-Cut Unit  
Verti-Cut Reel



All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces John Deere 2700 Riding Greens Mower Parts

Verti-Cut Unit  
Verti-Cut Reel



| Item No | R&R Part No. | OEM Part No. | Description | Qty Req | Order Quantity |
|---------|--------------|--------------|-------------|---------|----------------|
|---------|--------------|--------------|-------------|---------|----------------|

## Blades

|    |                 |          |                                      |    |  |
|----|-----------------|----------|--------------------------------------|----|--|
| 40 | <b>R150209C</b> | TCU26776 | Verti-Cut Blade - Carbide Tipped 2mm | 27 |  |
|----|-----------------|----------|--------------------------------------|----|--|

*Detail Description: STRONG BY DESIGN. Each blade is made with the highest quality hand-picked steel, and laser-cut to our exacting specifications for superior toughness and wear.<BR><BR>TUNGSTEN CARBIDE TIPS. Protect blades from abrasion for extended life and maintain a consistent cutting depth. Optional cutting widths to meet local turf conditions.:*

## Other Parts Available

|    |                   |                                   |                                  |    |  |
|----|-------------------|-----------------------------------|----------------------------------|----|--|
| 50 | <b>RBM18480</b>   | BM18480                           | Roller Assy - Solid 2"           | 2  |  |
| 51 | <b>RTCU40491</b>  | TCU24683,<br>TCU40491             | Worm Gear                        | 2  |  |
| 52 | <b>R33114-016</b> | 19M7162                           | Bolt - Hx HD 8mm x 1.25 x 15     | 2  |  |
| 53 | <b>R24H1513</b>   | 24H1513                           | Washer                           | 2  |  |
| 54 | <b>RET17053</b>   | ET17053                           | Nut - 1-1/8-7 Jam Incl Set Screw | 2  |  |
| 55 | <b>R3245-35</b>   | 22H841                            | Screw - Set 1/4-28 x 1/4         | 2  |  |
| 56 | <b>RET17914</b>   | ET17914                           | Rubber Isolator - Verticut       | 1  |  |
| 57 | <b>RET17713</b>   | ET17713                           | Spacer - Vertical Mower Shaft    | 79 |  |
| 58 | <b>RAUC13598</b>  | AUC13598,<br>TCA19369             | Adjuster                         | 2  |  |
| 59 | <b>RAA35741</b>   | AA35741,<br>AET10129,<br>TCA22836 | Bearing                          | 4  |  |

*Detail Description: 1/4" Side Hole:*

|    |                 |         |                                 |   |  |
|----|-----------------|---------|---------------------------------|---|--|
| 60 | <b>RM148268</b> | M148268 | Lock Nut                        | 2 |  |
| 61 | <b>R19M7866</b> | 19M7866 | Bolt - Flanged Hex M8-1.25 x 20 | 2 |  |
| 62 | <b>R500534</b>  |         | Bearing - with Cup              | 2 |  |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces John Deere 2700 Riding Greens Mower Parts

Verti-Cut Unit  
Verti-Cut Reel



| Item No                                                                                         | R&R Part No.    | OEM Part No.          | Description                       | Qty Req | Order Quantity |
|-------------------------------------------------------------------------------------------------|-----------------|-----------------------|-----------------------------------|---------|----------------|
| <i>Detail Description: Kit includes: 1 ea R254-78- Bearing Cone &amp; R254-79 Bearing Cone:</i> |                 |                       |                                   |         |                |
| 63                                                                                              | <b>R03M7232</b> | 03M7232               | Bolt - Carriage M6-1.0 x 25       | 3       |                |
| 64                                                                                              | <b>R14M7303</b> | 14M7303               | Nut - 6mm x 1.0 Flanged           | 3       |                |
| 65                                                                                              | <b>RAMT2704</b> | AMT2704,<br>MT169     | Strap - Verticut Shield           | 1       |                |
| 66                                                                                              | <b>RUC16102</b> | TCU24949,<br>UC16102  | Cap                               | 2       |                |
| 67                                                                                              | <b>RUC16108</b> | TCU24460,<br>UC16108  | Bracket                           | 2       |                |
| 68                                                                                              | <b>RTC26458</b> | TCU26458              | Worm Gear                         | 2       |                |
| 70                                                                                              | <b>RTC26729</b> | TCU26729              | Tube                              | 1       |                |
| 71                                                                                              | <b>R254-79</b>  | JD8226                | Cup - Bearing                     | 2       |                |
| <i>Detail Description: Use R254-79M installation mandrel to properly install race.:</i>         |                 |                       |                                   |         |                |
| 72                                                                                              | <b>R254-78</b>  | JD8188                | Tapered Bearing Cone              | 2       |                |
| 73                                                                                              | <b>RET14566</b> | ET14566               | Seal - Reel                       | 2       |                |
| 74                                                                                              | <b>RTC23880</b> | TCU23880,<br>TCU28964 | Compression Spring - Reel Bearing | 1       |                |
| 75                                                                                              | <b>R40M7226</b> | 40M1862,<br>40M7226   | Ring - Retaining                  | 2       |                |
| 76                                                                                              | <b>RMT74</b>    | MT74                  | Bushing - Roller Bkt              | 2       |                |
| 77                                                                                              | <b>RTC28635</b> | TCU24555,<br>TCU28635 | Eccentric                         | 2       |                |
| 78                                                                                              | <b>R03M7194</b> | 03M7194               | Bolt                              | 2       |                |
| 80                                                                                              | <b>R14M7151</b> | 14M7151               | Nut - Jam Roller Adj              | 2       |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces John Deere 2700 Riding Greens Mower Parts

Verti-Cut Unit  
Verti-Cut Reel



| Item No | R&R Part No. | OEM Part No.                 | Description                 | Qty Req | Order Quantity |
|---------|--------------|------------------------------|-----------------------------|---------|----------------|
| 82      | R302-5       | JD7797,<br>JD7842,<br>JD7844 | Fitting - Grease            | 2       |                |
| 83      | R170714      | E14814                       | Fitting - Pressure Relief   | 2       |                |
| 85      | RH137328     | H137328                      | Locknut                     | 2       |                |
| 90      | RMT6517      | MT6517                       | Label - Warning             | 1       |                |
| 91      | R03M7191     | 03M7191                      | Bolt - Carriage M10 x 25    | 4       |                |
| 92      | R14M7517     | 14M7517                      | Locknut - 10mm x 1.5 ESNA   | 4       |                |
| 93      | RET16679     | ET16679                      | Washer - Spring             | 8       |                |
| 94      | R14M7152     | 14M7152                      | Nut - 10mm x 1.5 Jam        | 2       |                |
| 95      | RTC25398     | TCU25398                     | Compression Spring          | 1       |                |
| 96      | RAUC13891    | AUC13891,<br>TCA18291        | Frame                       | 1       |                |
| 97      | RR30587      | 30587,<br>R30587             | Pin - Dowell 1/4 Dia. x .75 | 2       |                |
| 99      | RUC13425     | UC13425                      | Rod - Hardened              | 1       |                |
| 100     | RUC18211     | TCU24461,<br>UC18211         | Bracket - LH                | 1       |                |
| 101     | RUC16109     | TCU24461,<br>UC16109         | Bracket - RH                | 1       |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.