




# Replaces John Deere 8900A Reel Mower Parts

26in Cutting Unit  
Reel & Bedknife



All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces John Deere 8900A Reel Mower Parts

26in Cutting Unit  
Reel & Bedknife



| Item No | R&R Part No. | OEM Part No. | Description | Qty Req | Order Quantity |
|---------|--------------|--------------|-------------|---------|----------------|
|---------|--------------|--------------|-------------|---------|----------------|

## R&R Reels, Lifetime Guranteed

|   |                  |          |                      |   |
|---|------------------|----------|----------------------|---|
| 1 | <b>RTCA19355</b> | TCA19355 | Reel - 5 Blade 26 in | 1 |
|---|------------------|----------|----------------------|---|

*Detail Description: R&R Reel blades are expertly crafted from premium high carbon-boron alloy steel, heat-treated to perfectly complement both R&R and OEM bedknives. Each reel undergoes precision cylindrical grinding on bearing surfaces, followed by relief grinding for optimal performance. Advanced computer balancing ensures extended reel and bearing life. Backed by our lifetime guarantee against defects in materials and craftsmanship under normal use, R&R Reels deliver unmatched durability and cutting precision you can trust.:*

|   |                  |          |                      |   |
|---|------------------|----------|----------------------|---|
| 1 | <b>RTCA19356</b> | TCA19356 | Reel - 8 Blade 26 in | 1 |
|---|------------------|----------|----------------------|---|

*Detail Description: R&R Reel blades are expertly crafted from premium high carbon-boron alloy steel, heat-treated to perfectly complement both R&R and OEM bedknives. Each reel undergoes precision cylindrical grinding on bearing surfaces, followed by relief grinding for optimal performance. Advanced computer balancing ensures extended reel and bearing life. Backed by our lifetime guarantee against defects in materials and craftsmanship under normal use, R&R Reels deliver unmatched durability and cutting precision you can trust.:*

|   |                  |          |                      |   |
|---|------------------|----------|----------------------|---|
| 1 | <b>RTCA19357</b> | TCA19357 | Reel - 5 Blade 30 in | 1 |
|---|------------------|----------|----------------------|---|

*Detail Description: R&R Reel blades are expertly crafted from premium high carbon-boron alloy steel, heat-treated to perfectly complement both R&R and OEM bedknives. Each reel undergoes precision cylindrical grinding on bearing surfaces, followed by relief grinding for optimal performance. Advanced computer balancing ensures extended reel and bearing life. Backed by our lifetime guarantee against defects in materials and craftsmanship under normal use, R&R Reels deliver unmatched durability and cutting precision you can trust.:*

|   |                  |          |                      |   |
|---|------------------|----------|----------------------|---|
| 1 | <b>RTCA19358</b> | TCA19358 | Reel - 8 Blade 30 in | 1 |
|---|------------------|----------|----------------------|---|

*Detail Description: R&R Reel blades are expertly crafted from premium high carbon-boron alloy steel, heat-treated to perfectly complement both R&R and OEM bedknives. Each reel undergoes precision cylindrical grinding on bearing surfaces, followed by relief grinding for optimal performance. Advanced computer balancing ensures extended reel and bearing life. Backed by our lifetime guarantee against defects in materials and craftsmanship under normal use, R&R Reels deliver unmatched durability and cutting precision you can trust.:*

## R&R Bedknives, Lifetime Guranteed

|   |                 |         |                          |   |
|---|-----------------|---------|--------------------------|---|
| 2 | <b>RET17752</b> | ET17752 | Bedknife - 26 in 10 Hole | 1 |
|---|-----------------|---------|--------------------------|---|

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces John Deere 8900A Reel Mower Parts

26in Cutting Unit  
Reel & Bedknife



| Item No | R&R Part No. | OEM Part No. | Description | Qty Req | Order Quantity |
|---------|--------------|--------------|-------------|---------|----------------|
|---------|--------------|--------------|-------------|---------|----------------|

*Detail Description: R&R Bedknives are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our reel blades and original equipment reels. Bedknives are surface ground on the top and front edge and straightened three times before being packaged with oil for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part.:*

|   |                |                   |                                  |   |  |
|---|----------------|-------------------|----------------------------------|---|--|
| 2 | <b>RMT2396</b> | MT2396,<br>MT6949 | Bedknife - 26 in Low Cut 10 Hole | 1 |  |
|---|----------------|-------------------|----------------------------------|---|--|

*Detail Description: R&R Bedknives are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our reel blades and original equipment reels. Bedknives are surface ground on the top and front edge and straightened three times before being packaged with oil for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part.:*

|   |                |        |                          |   |  |
|---|----------------|--------|--------------------------|---|--|
| 3 | <b>RMT1973</b> | MT1973 | Bedknife - 30 in 12 Hole | 1 |  |
|---|----------------|--------|--------------------------|---|--|

*Detail Description: R&R Bedknives are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our reel blades and original equipment reels. Bedknives are surface ground on the top and front edge and straightened three times before being packaged with oil for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part.:*

## Blades

|   |                |        |                            |    |  |
|---|----------------|--------|----------------------------|----|--|
| 5 | <b>RMT2624</b> | MT2624 | Knife - Greens Conditioner | 46 |  |
|---|----------------|--------|----------------------------|----|--|

## Other Parts Available

|    |                 |         |                               |    |  |
|----|-----------------|---------|-------------------------------|----|--|
| 10 | <b>R19M7573</b> | 19M7573 | Screw - Bedknife M8-1.25 x 20 | 12 |  |
|----|-----------------|---------|-------------------------------|----|--|

|    |                 |         |         |    |  |
|----|-----------------|---------|---------|----|--|
| 11 | <b>RH137328</b> | H137328 | Locknut | 12 |  |
|----|-----------------|---------|---------|----|--|

|    |                 |                       |           |   |  |
|----|-----------------|-----------------------|-----------|---|--|
| 12 | <b>RTC28635</b> | TCU24555,<br>TCU28635 | Eccentric | 2 |  |
|----|-----------------|-----------------------|-----------|---|--|

|    |                 |         |                                   |   |  |
|----|-----------------|---------|-----------------------------------|---|--|
| 13 | <b>RH135891</b> | H135891 | Locknut - 10mm x 1.5 Flanged 10.9 | 6 |  |
|----|-----------------|---------|-----------------------------------|---|--|

*Detail Description: High Strength:*

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces John Deere 8900A Reel Mower Parts

26in Cutting Unit  
Reel & Bedknife



| Item No                                                                                                      | R&R Part No. | OEM Part No.          | Description                    | Qty Req | Order Quantity |
|--------------------------------------------------------------------------------------------------------------|--------------|-----------------------|--------------------------------|---------|----------------|
| 14                                                                                                           | RTCU25394    | TCU25394,<br>TCU27453 | Base                           | 2       |                |
| 15                                                                                                           | RTCU25398    | TCU25398              | Compression Spring             | 1       |                |
| 17                                                                                                           | RTCU25266    | TCU25266              | Seal                           | 2       |                |
| 16                                                                                                           | R03M7191     | 03M7191               | Bolt - Carriage M10 x 25       | 2       |                |
| 18                                                                                                           | R254-94      | JD8933,<br>TCU37582   | Tapered Bearing Cone           | 2       |                |
| 19                                                                                                           | R254-72      | JD8253                | Cup - Bearing                  | 2       |                |
| 20                                                                                                           | R170610      | TCU26530              | Spring - Compression           | 1       |                |
| 21                                                                                                           | RET16678     | ET16678               | Washer - Spring                | 1       |                |
| 22                                                                                                           | RTCU26215    | TCU26215              | Nut - Reel                     | 2       |                |
| 23                                                                                                           | RMT6338      | MT6338                | Bolt - Shoulder                | 2       |                |
| 24                                                                                                           | RET16572     | ET16572               | Nut - Hex                      | 2       |                |
| 25                                                                                                           | RAET11303    | AET11303              | Backing Bar - 26 Bedknife      | 1       |                |
| 26                                                                                                           | RMT2368      | MT2368                | Scraper - Assy 26 Solid Roller | 1       |                |
| <i>Detail Description: Includes: RET17630, RET17629, RET17758, R34M7010 RMT2594 R14M7303 &amp; R21M7246:</i> |              |                       |                                |         |                |
| 27                                                                                                           | RMT2594      | MT2594                | Blade - 26 Scraper             | 1       |                |
| 27                                                                                                           | RMT2593      | MT2593                | Blade - 30 Scraper             | 1       |                |
| 28                                                                                                           | R500565      | MT2368                | Bar - Scraper 26               | 1       |                |
| 29                                                                                                           | RET17758     | ET17758               | Pin - 26 Scrapers              | 1       |                |
| 30                                                                                                           | RET17629     | ET17629               | Spring - Torsion LH            | 1       |                |
| 31                                                                                                           | RET17630     | ET17630               | Spring - Torsion RH            | 1       |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces John Deere 8900A Reel Mower Parts

26in Cutting Unit  
Reel & Bedknife



| Item No | R&R Part No.    | OEM Part No.                 | Description                | Qty Req | Order Quantity |
|---------|-----------------|------------------------------|----------------------------|---------|----------------|
| 32      | <b>R34M7010</b> | 34M7010                      | Pin - Spring               | 1       |                |
| 33      | <b>R21M7246</b> | 21M7246                      | Screw                      | 4       |                |
| 34      | <b>R14M7303</b> | 14M7303                      | Nut - 6mm x 1.0 Flanged    | 4       |                |
| 35      | <b>RTC26123</b> | TCU26123                     | Adjuster                   | 2       |                |
| 36      | <b>RET16679</b> | ET16679                      | Washer - Spring            | 6       |                |
| 37      | <b>RM148268</b> | M148268                      | Lock Nut                   | 2       |                |
| 38      | <b>RUC13941</b> | UC13941                      | Housing - w/o Bearing - RH | 1       |                |
| 39      | <b>RUC13937</b> | UC13937                      | Housing - w/o Bearing - LH | 1       |                |
| 40      | <b>R170714</b>  | E14814                       | Fitting - Pressure Relief  | 2       |                |
| 41      | <b>R302-5</b>   | JD7797,<br>JD7842,<br>JD7844 | Fitting - Grease           | 2       |                |
| 42      | <b>RTC25317</b> | TCU25317                     | Adjuster                   | 2       |                |
| 44      | <b>RTC25260</b> | TCU25260                     | Washer                     | 2       |                |
| 45      | <b>RUC16138</b> | UC16138                      | Bracket - Front LH         | 1       |                |
| 46      | <b>RUC16139</b> | UC16139                      | Bracket - Front RH         | 1       |                |
| 47      | <b>RUC22790</b> | UC22790                      | Bracket - Front Roller     | 2       |                |
| 48      | <b>RUC16109</b> | TCU24461,<br>UC16109         | Bracket - RH               | 1       |                |
| 49      | <b>RUC18211</b> | TCU24461,<br>UC18211         | Bracket - LH               | 1       |                |
| 51      | <b>RUC16102</b> | TCU24949,<br>UC16102         | Cap                        | 2       |                |
| 52      | <b>RTC40491</b> | TCU24683,<br>TCU40491        | Worm Gear                  | 2       |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces John Deere 8900A Reel Mower Parts

*26in Cutting Unit  
Reel & Bedknife*



| Item No | R&R Part No.     | OEM Part No.         | Description                          | Qty Req | Order Quantity |
|---------|------------------|----------------------|--------------------------------------|---------|----------------|
| 53      | <b>RAUC13597</b> | AUC13597             | Adjuster                             | 2       |                |
| 54      | <b>RUC22218</b>  | UC22218              | Half Clamp                           | 2       |                |
| 55      | <b>RTC26458</b>  | TCU26458             | Worm Gear                            | 2       |                |
| 56      | <b>RUC16137</b>  | TCU24955,<br>UC16137 | Adjuster                             | 2       |                |
| 60      | <b>RTC27070</b>  | TCU27070             | Scraper                              | 1       |                |
| 61      | <b>RMT1982</b>   | MT1982               | Pin - 30 Scrapers                    | 1       |                |
| 62      | <b>RMT2340</b>   | MT2340               | Scraper - Fits J.D. Center           | 1       |                |
| 63      | <b>RMT2341</b>   | MT2341               | Section - Grooved Scraper 4<br>Tooth | 2       |                |
| 64      | <b>RMT2342</b>   | MT2342               | Section - Grooved Scraper 3<br>Tooth | 3       |                |
| 65      | <b>RMT5158</b>   | MT5158               | Scraper - Fits J.D. RH End           | 1       |                |
| 66      | <b>RMT5159</b>   | MT5159               | Scraper - Fits J.D. LH End           | 1       |                |
| 67      | <b>RTC26998</b>  | TCU26998             | Panel                                | 2       |                |
| 68      | <b>R03M7251</b>  | 03M7251              | Bolt - Gr. Roller Scraper            | 16      |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.