


## Replaces Toro Z Master G3 Riding Mower Parts

72in Deck Caster Wheel





All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.

	Trate	lower Parts			비행산왕
70		in Deck Ister Wheel			
	R&R Part No.	OEM Part No.	Description	Qty Req	Orde Quantit
ïres	& Wheels				
10	R109-9127	109-9124, 109-9125, 109-9127	Tire & Wheel - 13x6.50-6 Flat Free	1	
Optio	onal Michelin Tv	veel Tires			
30	RTMT41011	109-9127, 126-7592, 126-7753, 127-9526, 127-9528, 127-9540, 139-3604,	Michelin X Tweel Turf Caster Smooth - 13x6.5N6 (5/8in Mount) 290 lb Max Load	2	
		139-3639, 140-4896			
	radius mowers, which helps ens dampen the rid	140-4896 on: Michelin X Tweel Turf casters and completely eliminate the ris ure the mower deck produces a	replace the existing front casters on zero sk of flat tires. They have a consistent hub n even cut, while the poly-resin spokes help t, even when navigating over curbs and ot ar life.:	height D	
30	radius mowers, which helps ens dampen the rid	140-4896 on: Michelin X Tweel Turf casters and completely eliminate the ris ure the mower deck produces a e for enhanced operator comfor	sk of flat tires. They have a consistent hub n even cut, while the poly-resin spokes help t, even when navigating over curbs and ot	height D	
30	radius mowers, which helps ens dampen the rid bumps. They ar <b>RTMT73818</b> Detail Descripti radius mowers, which helps ens dampen the rid	140-4896 on: Michelin X Tweel Turf casters and completely eliminate the ris ure the mower deck produces an e for enhanced operator comfor e designed to provide a long wed 109-9127, 126-7592, 126-7753, 127-9526, 127-9526, 127-9540, 139-3604, 140-4896 on: Michelin X Tweel Turf casters and completely eliminate the ris ure the mower deck produces an	sk of flat tires. They have a consistent hub in even cut, while the poly-resin spokes help t, even when navigating over curbs and ot far life.: Michelin X Tweel Turf Caster Grooved - 13x6.5N6 (5/8in Mount) 290 lb Max Load sk of flat tires. They have a consistent hub in even cut, while the poly-resin spokes help t, even when navigating over curbs and ot	height o her 2 turn height o	
30	radius mowers, which helps ens dampen the rid bumps. They ar <b>RTMT73818</b> Detail Descripti radius mowers, which helps ens dampen the rid	140-4896 on: Michelin X Tweel Turf casters and completely eliminate the ris ure the mower deck produces and e for enhanced operator comfor e designed to provide a long wea 109-9127, 126-7592, 126-7753, 127-9526, 127-9526, 127-9540, 139-3604, 140-4896 on: Michelin X Tweel Turf casters and completely eliminate the ris ure the mower deck produces and e for enhanced operator comfor	sk of flat tires. They have a consistent hub in even cut, while the poly-resin spokes help t, even when navigating over curbs and ot far life.: Michelin X Tweel Turf Caster Grooved - 13x6.5N6 (5/8in Mount) 290 lb Max Load sk of flat tires. They have a consistent hub in even cut, while the poly-resin spokes help t, even when navigating over curbs and ot	height o her 2 turn height o	
31	radius mowers, which helps ens dampen the rid bumps. They ar <b>RTMT73818</b> Detail Descripti radius mowers, which helps ens dampen the rid bumps. They ar	140-4896 on: Michelin X Tweel Turf casters and completely eliminate the ris ure the mower deck produces and e for enhanced operator comfor e designed to provide a long wea 109-9127, 126-7592, 126-7753, 127-9526, 127-9526, 127-9540, 139-3604, 140-4896 on: Michelin X Tweel Turf casters and completely eliminate the ris ure the mower deck produces and e for enhanced operator comfor e designed to provide a long wea	sk of flat tires. They have a consistent hub n even cut, while the poly-resin spokes help t, even when navigating over curbs and ot ar life.: Michelin X Tweel Turf Caster Grooved - 13x6.5N6 (5/8in Mount) 290 lb Max Load replace the existing front casters on zero sk of flat tires. They have a consistent hub n even cut, while the poly-resin spokes help t, even when navigating over curbs and ot ar life.: Michelin Spacer - 1/2in ID x 1in	height o her 2 turn height o her	

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.

R&R Products	<b>Mower Parts</b> 72in Deck Caster Wheel			
ltem <b>R&amp;R</b> No <b>Part No</b>	OEM Part No.	Description	Qty Req	Order Quantity
51 <b>R3296-5</b>	<b>51</b> 3296-51, 3296-81	Nut - Nylon Lock 3/4-10 Gr 8	1	
52 <b>R1-6335</b>	<b>508</b> 1-633508	Washer - Spring Disc	3	
53 <b>R254-9</b> 4	1-543509, 254-94, 32-8090, 32-8240, 32-9640, 40440, 62-3330	Tapered Bearing Cone	2	
54 <b>R1-5435</b>	<b>511</b> 1-543511	Seal- Grease	1	
55 <b>R325-39</b>	325-39	Bolt - Hx HD 1/2-13 x 9 1/2	1	
56 <b>R103-30</b>	<b>1</b> 03-3051	Spacer - Nut - Hardened	2	
57 <b>R103-27</b>	<b>768</b> 103-2768	Guard - Seal	2	
58 <b>R103-00</b>	<b>103-0063</b>	Seal - Grease	2	
59 <b>R50053</b>	<b>4</b> 1-633585	Bearing - with Cup	2	

Detail Description: Kit includes: 1 ea R254-78- Bearing Cone & R254-79 Bearing Cone:

59 <b>R254-78</b>	01-102-0060, 01-102-0130, 1-633585, 254-78, 32-7790, 32-9580, 93-4813	Tapered Bearing Cone	0
60 <b>R103-5156</b>	103-5156	Axle- Caster	1
61 <b>RF5003</b>	32127-29, 32131-5, 32132-5, 3296-23	Locknut - ESNA 1/2-13	1
62 <b>R116-8888</b>	103-1474-01, 116-6707-01, 116-8888	Fork - Caster 7.875 in Inside	1

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.

## Replaces Toro Z Master G3 Riding Mower Parts



R&R Products	Replaces Toro Z Master G3 Riding Mower Parts 72in Deck Caster Wheel			
ltem <b>R&amp;R</b> No <b>Part No.</b>	OEM Part No.	Description	Qty Req	Order Quantity
63 <b>R254-79</b>	01-103-0060, 01-103-0130, 1-633584, 252-106, 254-79, 32-7800, 32-9590	Cup - Bearing	1	
Detail Desc	ription: Use R254-79M installation mo	andrel to properly install race.:		

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.