




# Replaces John Deere 2500E Hybrid Riding Greens Mower Parts

Verti-Cut Unit - Serial up to 030000

Verti-Cut Reel & Frame



All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces John Deere 2500E Hybrid Riding Greens Mower Parts

Verti-Cut Unit - Serial up to 030000

Verti-Cut Reel & Frame



| Item No | R&R Part No. | OEM Part No. | Description | Qty Req | Order Quantity |
|---------|--------------|--------------|-------------|---------|----------------|
|---------|--------------|--------------|-------------|---------|----------------|

## Verti-Cut Blades

|   |          |                     |                        |    |  |
|---|----------|---------------------|------------------------|----|--|
| 1 | RAMT2703 | AMT2703,<br>ET17719 | Blade - Vertical Mower | 27 |  |
|---|----------|---------------------|------------------------|----|--|

|   |          |          |                                         |    |  |
|---|----------|----------|-----------------------------------------|----|--|
| 2 | R150209C | TCU26776 | Verti-Cut Blade - Carbide Tipped<br>2mm | 27 |  |
|---|----------|----------|-----------------------------------------|----|--|

*Detail Description: STRONG BY DESIGN. Each blade is made with the highest quality hand-picked steel, and laser-cut to our exacting specifications for superior toughness and wear.<BR><BR>TUNGSTEN CARBIDE TIPS. Protect blades from abrasion for extended life and maintain a consistent cutting depth. Optional cutting widths to meet local turf conditions.:*

|   |          |  |                                           |    |  |
|---|----------|--|-------------------------------------------|----|--|
| 2 | R150109C |  | Verti-Cut Blade - Carbide Tipped<br>1.2mm | 27 |  |
|---|----------|--|-------------------------------------------|----|--|

*Detail Description: STRONG BY DESIGN. Each blade is made with the highest quality hand-picked steel, and laser-cut to our exacting specifications for superior toughness and wear.<BR><BR>TUNGSTEN CARBIDE TIPS. Protect blades from abrasion for extended life and maintain a consistent cutting depth. Optional cutting widths to meet local turf conditions.:*

## Other Parts Available

|    |          |         |                               |    |  |
|----|----------|---------|-------------------------------|----|--|
| 10 | RET17713 | ET17713 | Spacer - Vertical Mower Shaft | 80 |  |
|----|----------|---------|-------------------------------|----|--|

|    |         |  |                               |    |  |
|----|---------|--|-------------------------------|----|--|
| 11 | R150230 |  | Spacer - 1/2 Ventilated V-Cut | 37 |  |
|----|---------|--|-------------------------------|----|--|

|    |          |         |                   |   |  |
|----|----------|---------|-------------------|---|--|
| 13 | RAMT2608 | AMT2608 | Shield - Verticut | 1 |  |
|----|----------|---------|-------------------|---|--|

|    |         |        |                 |   |  |
|----|---------|--------|-----------------|---|--|
| 14 | RMT6517 | MT6517 | Label - Warning | 2 |  |
|----|---------|--------|-----------------|---|--|

|    |          |         |                           |   |  |
|----|----------|---------|---------------------------|---|--|
| 15 | R19M7865 | 19M7865 | Bolt - Hex Washer M8 x 16 | 2 |  |
|----|----------|---------|---------------------------|---|--|

|    |          |         |                          |    |  |
|----|----------|---------|--------------------------|----|--|
| 16 | R14M7298 | 14M7298 | Nut - 8mm x 1.25 Flanged | 10 |  |
|----|----------|---------|--------------------------|----|--|

|    |          |         |                            |   |  |
|----|----------|---------|----------------------------|---|--|
| 17 | RET17914 | ET17914 | Rubber Isolator - Verticut | 1 |  |
|----|----------|---------|----------------------------|---|--|

|    |          |                   |                         |   |  |
|----|----------|-------------------|-------------------------|---|--|
| 18 | RAMT2704 | AMT2704,<br>MT169 | Strap - Verticut Shield | 1 |  |
|----|----------|-------------------|-------------------------|---|--|

|    |          |         |                             |   |  |
|----|----------|---------|-----------------------------|---|--|
| 19 | R03M7232 | 03M7232 | Bolt - Carriage M6-1.0 x 25 | 3 |  |
|----|----------|---------|-----------------------------|---|--|

|    |          |                     |                                  |   |  |
|----|----------|---------------------|----------------------------------|---|--|
| 20 | R14M7397 | 14M7397,<br>14M7463 | Locknut - 6mm x 1.0 ESNA Flanged | 3 |  |
|----|----------|---------------------|----------------------------------|---|--|

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces John Deere 2500E Hybrid Riding Greens Mower Parts

Verti-Cut Unit - Serial up to 030000  
Verti-Cut Reel & Frame



| Item No                                                                                 | R&R Part No. | OEM Part No.                 | Description                       | Qty Req | Order Quantity |
|-----------------------------------------------------------------------------------------|--------------|------------------------------|-----------------------------------|---------|----------------|
| 21                                                                                      | RET16704     | ET16704                      | Retainer                          | 1       |                |
| 22                                                                                      | RET14592     | ET14592                      | Spring - Reel Bearing             | 1       |                |
| 23                                                                                      | RET14566     | ET14566                      | Seal - Reel                       | 2       |                |
| 24                                                                                      | R254-78      | JD8188                       | Tapered Bearing Cone              | 2       |                |
| 25                                                                                      | R254-79      | JD8226                       | Cup - Bearing                     | 2       |                |
| <i>Detail Description: Use R254-79M installation mandrel to properly install race.:</i> |              |                              |                                   |         |                |
| 26                                                                                      | RAMT5112     | AMT5112                      | Bracket - Roller RH Rear          | 1       |                |
| 26                                                                                      | RAMT5113     | AMT5113                      | Bracket - Roller LH Rear          | 1       |                |
| 27                                                                                      | RMT6483      | MT6483                       | Nut - Adjusting Rear Roller       | 2       |                |
| 28                                                                                      | R453011      | 24M7096                      | Washer - Flat 3/8 SAE Y/Zinc      | 2       |                |
| 29                                                                                      | R19M7383     | 19M7383                      | Bolt - Rear Roller Adj 55 mm Long | 2       |                |
| 30                                                                                      | R03M7307     | 03M7307                      | Bolt - Carriage M10               | 2       |                |
| 31                                                                                      | R14M7517     | 14M7517                      | Locknut - 10mm x 1.5 ESNA         | 2       |                |
| 32                                                                                      | R24H1307     | 24H1307                      | Washer - Flat 13/32 x 1 x 1/16    | 4       |                |
| 33                                                                                      | RAMT2574     | AMT2574                      | Frame - Verticut                  | 1       |                |
| 34                                                                                      | RAMT1479     | AMT1479                      | Chain - Link                      | 1       |                |
| 35                                                                                      | R24H1682     | 24H1682                      | Washer - 13/32 x 7/8 x 1/8        | 1       |                |
| 36                                                                                      | R11M7012     | 11M7012                      | Pin - Cotter 1/8 x 5/8            | 2       |                |
| 37                                                                                      | RMT7294      | MT2647,<br>MT7294            | Housing - Reel                    | 2       |                |
| 38                                                                                      | R302-5       | JD7797,<br>JD7842,<br>JD7844 | Fitting - Grease                  | 2       |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces John Deere 2500E Hybrid Riding Greens Mower Parts

Verti-Cut Unit - Serial up to 030000

Verti-Cut Reel & Frame



| Item No                                                                                                                            | R&R Part No. | OEM Part No.     | Description                       | Qty Req | Order Quantity |
|------------------------------------------------------------------------------------------------------------------------------------|--------------|------------------|-----------------------------------|---------|----------------|
| 39                                                                                                                                 | RMT3015      | MT3015           | Bracket - RH - Extended           | 2       |                |
| 40                                                                                                                                 | RMT3072      | MT3072           | Bracket - LH - Extended           | 2       |                |
| 41                                                                                                                                 | R3219-1      | 14H860           | Nut - 1/4-28                      | 2       |                |
| 42                                                                                                                                 | R170714      | E14814           | Fitting - Pressure Relief         | 2       |                |
| 43                                                                                                                                 | R03M7184     | 03M7184          | Bolt - Carriage M8                | 4       |                |
| 44                                                                                                                                 | RR30587      | 30587,<br>R30587 | Pin - Dowell 1/4 Dia. x .75       | 4       |                |
| 45                                                                                                                                 | RAMT2261     | AMT2261          | Kit - Bolt w/Clip                 | 2       |                |
| 46                                                                                                                                 | R19M8008     | 19M8008          | Bolt - Hex HD M8-1.25 x 35        | 6       |                |
| 47                                                                                                                                 | RMT6476      | MT6476           | Counterweight                     | 1       |                |
| 48                                                                                                                                 | RH135891     | H135891          | Locknut - 10mm x 1.5 Flanged 10.9 | 4       |                |
| <i>Detail Description: High Strength:</i>                                                                                          |              |                  |                                   |         |                |
| 49                                                                                                                                 | RET17715     | ET17715          | Shaft - Vertical Mower            | 1       |                |
| 50                                                                                                                                 | RC17964      | C17964           | Ring - Retaining HD               | 1       |                |
| 51                                                                                                                                 | R24H1513     | 24H1513          | Washer                            | 4       |                |
| 52                                                                                                                                 | RET17053     | ET17053          | Nut - 1-1/8-7 Jam Incl Set Screw  | 1       |                |
| 53                                                                                                                                 | R3245-35     | 22H841           | Screw - Set 1/4-28 x 1/4          | 1       |                |
| 54                                                                                                                                 | R14M7296     | 14M7296          | Nut - 10mm x 1.5 Flanged          | 2       |                |
| 55                                                                                                                                 | R19M7804     | 19M7804          | Bolt - Flanged Hex M10-1.5 x 40   | 2       |                |
| 56                                                                                                                                 | RMT6671      | MT6671           | Grass Basket                      | 1       |                |
| <i>Detail Description: &lt;BR&gt;Please note: Due to excessive air freight charges, this item will be shipped ground freight.:</i> |              |                  |                                   |         |                |
| 57                                                                                                                                 | R22H1004     | 19H3003          | Screw - Set 1/4-28 x 1/2          | 2       |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces John Deere 2500E Hybrid Riding Greens Mower Parts

Verti-Cut Unit - Serial up to 030000

Verti-Cut Reel & Frame



| Item No                                                                                         | R&R Part No.     | OEM Part No.                      | Description                    | Qty Req | Order Quantity |
|-------------------------------------------------------------------------------------------------|------------------|-----------------------------------|--------------------------------|---------|----------------|
| 58                                                                                              | <b>RMT6491</b>   | MT6491                            | Bracket - Verticut Frame       | 1       |                |
| 59                                                                                              | <b>R19M7785</b>  | 19M7785                           | Bolt - Hex Washer M10-1.5 x 25 | 1       |                |
| 60                                                                                              | <b>R14M7400</b>  | 14M7400                           | Locknut - 10mm                 | 1       |                |
| 62                                                                                              | <b>RAET10139</b> | AET10139                          | Cable - Roller Scraper         | 1       |                |
| 63                                                                                              | <b>RU45916</b>   | 14M7298,<br>U45916                | Locknut - 10-24 ESNA           | 2       |                |
| 65                                                                                              | <b>R500534</b>   |                                   | Bearing - with Cup             | 2       |                |
| <i>Detail Description: Kit includes: 1 ea R254-78- Bearing Cone &amp; R254-79 Bearing Cone:</i> |                  |                                   |                                |         |                |
| 66                                                                                              | <b>RAET11038</b> | AET11038,<br>AET11039,<br>AT11038 | Coupler - V-Cut 8 Tooth        | 1       |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.