


Parts

Replaces Toro Greensmaster Flex 2100



DPA Cutting Unit - Model 04251 & 04252 Reel & Bedknife



Repro	& R Par ducts DPA		ensmaster Flex 2100				
	R&R Part No.	OEM Part No.	Description	Qty Req	Orde Quantit		
verl	haul Kit						
5	R121-2637	121-2637	Overhaul Kit - DPA Adjusters	1			
&R F	Reels, Lifetime Gua	ranteed					
1	R119-4103	119-4103	Reel - 8 Blade	1			
	bedknives. All R&R I Reels are then prec	Reels are cylindrically ground ision computer balanced for	of our bedknives and original equipment on bearing surfaces and then relief grou extended bearing and reel life. R&R Prod and workmanship for the life of the reel	ınd. ucts			
1	R127-2200	127-2200	Reel - 8 Blade Low Drag	1			
	Tech Note: Low Drag:						
	then hardened to R bedknives. All R&R I Reels are then preci	C46-49 to match the temper Reels are cylindrically ground ision computer balanced for	tured from high carbon-boron alloy stee of our bedknives and original equipment on bearing surfaces and then relief grou extended bearing and reel life. R&R Prod and workmanship for the life of the reel	: Ind. ucts			
1	R132-7340	132-7340	Reel - 8 Blade Razor Series Low Drag	1			
	hardened to RC48-4 premium series bec ground and precisio are guaranteed ago	51 to match the temper of ou Iknives. All R&R Reels are cylii on computer balanced for exi iinst defects in material and v	ctured from a special high alloy steel and r Razor bedknives and original equipmen ndrically ground on bearing surfaces, rel tended bearing and reel life. R&R Produc workmanship for the life of the reel unde from Razor reels over standard reels.:	nt ief ts Reels			
1	R137-8511	137-8511	Reel - 8 Blade Razor Series w/Bearings and Seals 21x5	1			
	hardened to RC48-4 premium series bec ground and precisio are guaranteed ago	51 to match the temper of ou Iknives. All R&R Reels are cylii on computer balanced for exi iinst defects in material and v	ctured from a special high alloy steel and r Razor bedknives and original equipmen ndrically ground on bearing surfaces, rel tended bearing and reel life. R&R Produc workmanship for the life of the reel unde from Razor reels over standard reels.:	nt ief ts Reels			

Replaces Toro Greensmaster Flex 2100 Parts DPA Cutting Unit - Model 04251 & 04252 Reel & Bedknife



ltem R&R	OEM	Description	Qty Order
No Part No.	Part No.		Req Quantity
1 R119-4104	119-4104	Reel - 11 Blade	1

Detail Description: R&R Reel blades are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our bedknives and original equipment bedknives. All R&R Reels are cylindrically ground on bearing surfaces and then relief ground. Reels are then precision computer balanced for extended bearing and reel life. R&R Products Reels are guaranteed against defects in material and workmanship for the life of the reel under normal use.:

1 R127-2201 127-2201 Reel - 11 Blade Low Drag 1	
--	--

Tech Note: Low Drag:

Detail Description: R&R Reel blades are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our bedknives and original equipment bedknives. All R&R Reels are cylindrically ground on bearing surfaces and then relief ground. Reels are then precision computer balanced for extended bearing and reel life. R&R Products Reels are guaranteed against defects in material and workmanship for the life of the reel under normal use.:

1 R132-7341 132-7341	Reel - 11 Blade Razor Series 1 Low Drag 21
-----------------------------	---

Detail Description: R&R Razor Reels are manufactured from a special high alloy steel and then hardened to RC48-51 to match the temper of our Razor bedknives and original equipment premium series bedknives. All R&R Reels are cylindrically ground on bearing surfaces, relief ground and precision computer balanced for extended bearing and reel life. R&R Products Reels are guaranteed against defects in material and workmanship for the life of the reel under normal use. You can expect up to double the life from Razor reels over standard reels.:

1 R137-8512	137-8512	Reel - 11 Blade Razor Series 1
1 KI37-0312	137 0312	w/Bearings and Seals 21x5

Detail Description: R&R Razor Reels are manufactured from a special high alloy steel and then hardened to RC48-51 to match the temper of our Razor bedknives and original equipment premium series bedknives. All R&R Reels are cylindrically ground on bearing surfaces, relief ground and precision computer balanced for extended bearing and reel life. R&R Products Reels are guaranteed against defects in material and workmanship for the life of the reel under normal use. You can expect up to double the life from Razor reels over standard reels.:

1 **R119-4105**

119-4105

Reel - 14 Blade

1

Repro	8 R P ducts D	eplaces Toro Gre arts PA Cutting Unit - Model 0 eel & Bedknife	ensmaster Flex 21	00		
	R&R Part No.	OEM Part No.	Description	Qty Req	Orde Quantit	
	then hardened bedknives. All I Reels are then	to RC46-49 to match the temper &R Reels are cylindrically ground precision computer balanced for	actured from high carbon-boron allog of our bedknives and original equip d on bearing surfaces and then relieg extended bearing and reel life. R&R al and workmanship for the life of the	ement ^f ground. Products		
1	R127-2202	127-2202	Reel - 14 Blade Low Drag	21 1		
	Tech Note: Low	Drag:				
	then hardened bedknives. All I Reels are then	to RC46-49 to match the temper &R Reels are cylindrically ground precision computer balanced for	nctured from high carbon-boron allog of our bedknives and original equip d on bearing surfaces and then relieg extended bearing and reel life. R&R al and workmanship for the life of the	ement ^f ground. Products		
1	R132-7342	132-7342	Reel - 14 Blade Razor Ser Low Drag 21	ies 1		
	hardened to R premium serie ground and pr are guarantee	748-51 to match the temper of o bedknives. All R&R Reels are cyl ecision computer balanced for e l against defects in material and	actured from a special high alloy stee ur Razor bedknives and original equi lindrically ground on bearing surface xtended bearing and reel life. R&R Pr workmanship for the life of the reel fe from Razor reels over standard ree	ipment s, relief oducts Reels under		
1	R137-8513	137-8513	Reel - 14 Blade Razor Ser w/Bearings and Seals 21:			
	Detail Description: R&R Razor Reels are manufactured from a special high alloy steel and then hardened to RC48-51 to match the temper of our Razor bedknives and original equipment premium series bedknives. All R&R Reels are cylindrically ground on bearing surfaces, relief ground and precision computer balanced for extended bearing and reel life. R&R Products Reels are guaranteed against defects in material and workmanship for the life of the reel under normal use. You can expect up to double the life from Razor reels over standard reels.:					
R&R E	Bedknives, Life	time Guaranteed				
2	R108-4302	108-4301, 108-4302	Bedknife - Tournament C Extended .125500 HO			

R	& R ducts	Parts	Unit - Model 04251	8 04252		
	n R&R Part No.		OEM Part No.	Description	Qty Req	Order Quantity
	then harder Bedknives a being packa grind for aa	ned to RC46-49 to re surface groun ged with oil for r lded life. All R&R	o match the temper of our d on the top and front edg ust prevention. All R&R Be	rom high carbon-boron alloy steel an reel blades and original equipment ge and straightened three times befo dknives now have an increased fron against defects in material and	reels. re	
2	R108-4303		104-7720, 108-4303	Bedknife - Micro Cut Extended .062187 HOC	1	
	Detail Description: R&R Bedknives are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our reel blades and original equipment reels. Bedknives are surface ground on the top and front edge and straightened three times before being packaged with oil for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part.:					
2	R93-4262		65-8250, 93-4262, 93-4263	Bedknife - Micro Cut .062 - .187 HOC	1	
	Detail Description: R&R Bedknives are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our reel blades and original equipment reels. Bedknives are surface ground on the top and front edge and straightened three times before being packaged with oil for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part.:					
2	R93-4264		57-4960, 63-8470, 93-4264	Bedknife - Low Cut .187 - 1.00 HOC	1	
	then harder Bedknives a being packa grind for aa	ned to RC46-49 to re surface groun ged with oil for r lded life. All R&R	o match the temper of our d on the top and front edg ust prevention. All R&R Be	rom high carbon-boron alloy steel an reel blades and original equipment ge and straightened three times befo dknives now have an increased fron against defects in material and .:	reels. re	
2	R94-6392		62-2500, 94-6392	Bedknife - High Cut .312 - 1.00 HOC	1	

Repro	& R ducts	Replaces Toro G Parts DPA Cutting Unit - Model Reel & Bedknife	reensmaster Flex 2100		
	R&R Part No.	OEM Part No.	Description	Qty Req	Order Quantity
	then harder Bedknives o being packo grind for ac	ed to RC46-49 to match the tem re surface ground on the top and ged with oil for rust prevention.	factured from high carbon-boron alloy steel per of our reel blades and original equipmen d front edge and straightened three times be All R&R Bedknives now have an increased fro uaranteed against defects in material and of the part.:	and nt reels. fore	
2	R150466	63-8600, 64-6393, 94-6393	Bedknife - Super Thick .312 - 1.00 HOC	1	
	then harder Bedknives o being packo grind for ac	ed to RC46-49 to match the tem re surface ground on the top and ged with oil for rust prevention.	factured from high carbon-boron alloy steel per of our reel blades and original equipmen d front edge and straightened three times be All R&R Bedknives now have an increased fro uaranteed against defects in material and of the part.:	nt reels. fore	
2	R93-4263	63-8560, 66-9320, 93-4263, 93-6039	Bedknife - Tournament Cut .125500 HOC	1	
	then harder Bedknives of being packo grind for ac	ed to RC46-49 to match the tem re surface ground on the top and ged with oil for rust prevention.	factured from high carbon-boron alloy steel per of our reel blades and original equipmen d front edge and straightened three times be All R&R Bedknives now have an increased fro uaranteed against defects in material and of the part.:	nt reels. fore	
R&R I	Razor Tool S	teel Bedknives, Lifetime Guara	inteed		
2	R115-1881	115-1881	Bedknife - Razor Tool Steel - 21 Tournament Cut .12550 HOC	0 1	
	and then he equipment specially pa grind for ac	rdened to RC48-51 to match the premium series reels. Bedknives o ckaged for rust prevention. All R& ded life. All R&R Bedknives are gu ip under normal use for the life o	manufactured from premium alloy tool stee temper of our Razor reel blades and origing are surface ground on the top and front edg &R Bedknives now have an increased front ed uaranteed against defects in material and of the part. You can expect up to double the	al e and dge	
2	R115-1880	115-1880	Bedknife - Razor Tool Steel - 21 Micro Cut .062187 HOC	1	

Repro	& R ducts	Replaces Toro Gro Parts DPA Cutting Unit - Model (Reel & Bedknife	eensmaster Flex 21	00	
	R&R Part No.	OEM Part No.	Description	Qty Req	Orde Quantity
	Detail Descr and then ha equipment µ specially pa grind for ad	rdened to RC48-51 to match the te premium series reels. Bedknives ar ckaged for rust prevention. All R&R ded life. All R&R Bedknives are gua p under normal use for the life of	anufactured from premium alloy tool emper of our Razor reel blades and or e surface ground on the top and from Bedknives now have an increased fro ranteed against defects in material au the part. You can expect up to double	l steel steel riginal t edge and ont edge nd	
2	R150492	150492	Bedknife - Razor Tool Ste 21 Micro Cut Ext	el - 1	
	and then ha equipment µ specially pa grind for ad	rdened to RC48-51 to match the te premium series reels. Bedknives ar ckaged for rust prevention. All R&R ded life. All R&R Bedknives are gua p under normal use for the life of	anufactured from premium alloy tool emper of our Razor reel blades and or e surface ground on the top and from Bedknives now have an increased fro tranteed against defects in material an the part. You can expect up to double	riginal t edge and ont edge nd	
2	R112-7475	112-7475	Bedknife - Razor Tool Ste 22 x 3/8 Fairway	el - 1	
	and then ha equipment µ specially pa grind for ad	rdened to RC48-51 to match the te premium series reels. Bedknives ar ckaged for rust prevention. All R&R ded life. All R&R Bedknives are gua p under normal use for the life of	anufactured from premium alloy tool emper of our Razor reel blades and or e surface ground on the top and from Bedknives now have an increased fro tranteed against defects in material an the part. You can expect up to double	riginal t edge and ont edge nd	
Servi	ce Tools				
6	R51-0880	51-0880	Bedknife Screw Driver To	ol 0	
		iption: Easily install and remove be nanufactured with hardened alloy	ed knife screws with the help of a ratc steel.:	het with 3/8"	
Belts					
8	R99-2022	99-2022	Belt - Reel Drive	1	
	r Parts Avail	able			
Othe	i ruits Avui				



Replaces Toro Greensmaster Flex 2100 Parts



DPA Cutting Unit - Model 04251 & 04252 Reel & Bedknife

	R&R Part No.	OEM Part No.	Description	Qty Req	Order Quantity
11	R106-2619	106-2619	Seal - Strip	1	
12	R115-7263	115-7263	Bolt - Bearing Lock	1	
13	R117-9493	117-9493	Bolt - Bed Bar - Hardened	2	
14	R119-4155	119-4155	Washer - Hardened	2	
15	R115-7041	115-7041	Bracket - Front Roller 5 1/4 in	2	
16	R119-4153	119-4153	Bushing - Rubber	2	
17	R32120-93	32120-93	Snap Ring - HD	2	
20	R3296-48	119-4039, 32146-7, 3296-34, 3296-48	Locknut - 7/16-14 ESNA	2	
21	R115-3303-03	115-3303-03	Bar - Cutoff	1	
22	R115-3296	115-3296	Bearing	2	
23	R52-2860	119-4150, 52-2860	Washer - Bed Bar Pivot	2	
24	R114-9396	114-9396, 119-4067	Bolt - Hex HD 5/16-18 x 3/8	2	
25	R119-4151	119-4151	Screw - Bedknife 5/16-18 x 17/32	13	
26	R120-9588	120-9588	Grass Shield Asm	1	
27	R354083	104-7729, 354083	Decal - Danger	1	
28	R115-7039	115-7039	Screw - Adjuster - Bedbar	2	

Replaces Toro Greensmaster Flex 2100



DPA Cutting Unit - Model 04251 & 04252 Reel & Bedknife



119-4154, 140-9234, 32128-7, 32128-8, 32136-7, 3296-28 Nut - 1/2-20 ESNA Jam 2 30 R119-4156 119-4156 Spring - Compression 2 31 R119-4164 119-4164 Washer - Wave 2 32 R115-6867 Coupling - Flex 1 33 R115-7143 Spring - Wave 1 34 R105-5700 105-5700, 115-5258 Wave Washer - Bearing 1 35 R117-6619 119-4012 Screw - Hx Washer HD Self 7 36 R119-4012 119-4012 Screw - Hx Washer HD Self 7 37 R106-5363 106-5363 Shaft - Adjusting - Bed Bar - Stainless 2 38 R106-5363 106-5363 Shaft - Adjusting - Bed Bar - Stainless 2 38 R106-5364 Bushing - Flanged and Keyed 4 39 R99-2097 Detent - Bed Bar - Aggressive 1 40 R106-2648-01 Bed Bar 1 40 R106-2648-01 Bed Bar 1 40 R106-2648-01 Bed Bar 1 41 R52-2890 Sushing - Flanged		R&R Part No.	OEM Part No.	Description	Qty Req	Order Quantity
31 R119-4164 119-4164 Washer - Wave 2 32 R115-6867 115-6867 Coupling - Flex 1 33 R115-7143 115-7143 Spring - Wave 1 34 R105-5700 105-5700, 115-5258 Wave Washer - Bearing 1 35 R117-6619 Bushing 2 36 R119-4012 119-4012 Screw - Hx Washer HD Self Threading 7 37 R106-5363 106-5363 Shaft - Adjusting - Bed Bar - Stainless 2 38 R106-5344 Bushing - Flanged and Keyed 4 39 R99-2097 99-2097 Detent - Bed Bar Adjuster 2 40 R106-2648-01 106-2648-01 Bed Bar 1 40 R106-2648-01 106-2648-01 Bed Bar 1 41 R52-2890 52-2890 Bushing - Flanged 2 42 R52-2890 52-2900 Washer - Nylon 4 43 R99-3773 99-3773 Bolt- Plow 3/8-16 x 1 3/4 2	29	R3296-28	140-9234, 32127-34, 32128-7, 32128-8, 32136-7,	Nut - 1/2-20 ESNA Jam	2	
32 R115-6867 115-6867 Coupling - Flex 1 33 R115-7143 115-7143 Spring - Wave 1 34 R105-5700 105-5700, 115-5258 Wave Washer - Bearing 1 35 R117-6619 Bushing 2 36 R119-4012 119-4012 Screw - Hx Washer HD Self Threading 7 37 R106-5363 106-5363 Shaft - Adjusting - Bed Bar - Stainless 2 38 R106-5344 106-5344 Bushing - Flanged and Keyed 4 39 R99-2097 99-2097 Detent - Bed Bar Adjuster 2 40 R106-2648-01 106-2648-01 Bed Bar - Aggressive 1 40 R106-2648-01 106-2648-01 Bed Bar 2 40 R106-2648-01 106-2648-01 Bed Bar 2 40 R106-2648-01 106-2648-01 Bed Bar 2 41 R52-2890 S2-2890 Bushing - Flanged 2 42 R52-2900 52-2900 Washer - Nylon 4 43 R99-3773 99-3773 Bolt- Plow 3/8-16 x 1 3/4<	30	R119-4156	119-4156	Spring - Compression	2	
33 R115-7143 Spring - Wave 1 34 R105-5700 105-5700, 115-5258 Wave Washer - Bearing 1 35 R117-6619 Bushing 2 36 R119-4012 119-4012 Screw - Hx Washer HD Self Threading 7 37 R106-5363 106-5363 Shaft - Adjusting - Bed Bar - Stainless 2 38 R106-5344 106-5344 Bushing - Flanged and Keyed 4 39 R99-2097 99-2097 Detent - Bed Bar Adjuster 2 40 R106-2648-01 106-2648-01 Bed Bar - Aggressive 1 40 R106-2648-01 106-2648-01 Bed Bar 2 41 R52-2890 52-2890 Bushing - Flanged 2 42 R52-2900 52-2900 Washer - Nylon 4 43 R99-3773 99-3773 Bolt- Plow 3/8-16 x 1 3/4 2	31	R119-4164	119-4164	Washer - Wave	2	
34 R105-5700 105-5700, 115-5258 Wave Washer - Bearing 1 35 R117-6619 Bushing 2 36 R119-4012 119-4012 Screw - Hx Washer HD Self Threading 7 37 R106-5363 106-5363 Shaft - Adjusting - Bed Bar - Stainless 2 38 R106-5344 Bushing - Flanged and Keyed 4 39 R99-2097 99-2097 Detent - Bed Bar Adjuster 2 40 R99-3794-01 99-3794-01, 99-3794-03 Bed Bar - Aggressive 1 40 R106-2648-01 106-2648-01 Bed Bar 1 41 R52-2890 52-2890 Bushing - Flanged 2 42 R52-2900 52-2900 Washer - Nylon 4 43 R99-3773 99-3773 Bolt- Plow 3/8-16 x 1 3/4 2	32	R115-6867	115-6867	Coupling - Flex	1	
34 R105-3700 115-5258 Wave washer - bearing 1 35 R117-6619 Bushing 2 36 R119-4012 119-4012 Screw - Hx Washer HD Self Threading 7 37 R106-5363 106-5363 Shaft - Adjusting - Bed Bar - Stainless 2 38 R106-5344 Bushing - Flanged and Keyed 4 39 R99-2097 99-2097 Detent - Bed Bar Adjuster 2 40 R99-3794-01 99-3794-01, 99-3794-03 Bed Bar - Aggressive 1 40 R106-2648-01 106-2648-01 Bed Bar 1 41 R52-2890 52-2890 Bushing - Flanged 2 42 R52-2900 52-2900 Washer - Nylon 4 43 R99-3773 99-3773 Bolt- Plow 3/8-16 x 1 3/4 2	33	R115-7143	115-7143	Spring - Wave	1	
36 R119-4012 119-4012 Screw - Hx Washer HD Self Threading 7 37 R106-5363 106-5363 Shaft - Adjusting - Bed Bar - Stainless 2 38 R106-5344 106-5344 Bushing - Flanged and Keyed 4 39 R99-2097 99-2097 Detent - Bed Bar Adjuster 2 40 R99-3794-01 99-3794-01, 99-3794-03 Bed Bar - Aggressive 1 40 R106-2648-01 106-2648-01 Bed Bar 1 41 R52-2890 52-2890 Bushing - Flanged 2 42 R52-2900 52-2900 Washer - Nylon 4 43 R99-3773 99-3773 Bolt- Plow 3/8-16 x 1 3/4 2	34	R105-5700		Wave Washer - Bearing	1	
36 R119-4012 Threading 7 37 R106-5363 106-5363 Shaft - Adjusting - Bed Bar - Stainless 2 38 R106-5344 106-5344 Bushing - Flanged and Keyed 4 39 R99-2097 99-2097 Detent - Bed Bar Adjuster 2 40 R99-3794-01 99-3794-01, 99-3794-03 Bed Bar - Aggressive 1 40 R106-2648-01 106-2648-01 Bed Bar 1 41 R52-2890 52-2890 Bushing - Flanged 2 42 R52-2900 52-2900 Washer - Nylon 4 43 R99-3773 99-3773 Bolt- Plow 3/8-16 x 1 3/4 2	35	R117-6619	117-6619	Bushing	2	
37 R100-5363 Stainless 2 38 R106-5344 106-5344 Bushing - Flanged and Keyed 4 39 R99-2097 99-2097 Detent - Bed Bar Adjuster 2 40 R99-3794-01 99-3794-01, 99-3794-03 Bed Bar - Aggressive 1 40 R106-2648-01 106-2648-01 Bed Bar 1 41 R52-2890 52-2890 Bushing - Flanged 2 42 R52-2900 52-2900 Washer - Nylon 4 43 R99-3773 99-3773 Bolt- Plow 3/8-16 x 1 3/4 2	36	R119-4012	119-4012		7	
39 R99-2097 99-2097 Detent - Bed Bar Adjuster 2 40 R99-3794-01 99-3794-01, 99-3794-03 Bed Bar - Aggressive 1 40 R106-2648-01 106-2648-01 Bed Bar 1 41 R52-2890 52-2890 Bushing - Flanged 2 42 R52-2900 52-2900 Washer - Nylon 4 43 R99-3773 99-3773 Bolt- Plow 3/8-16 x 1 3/4 2	37	R106-5363	106-5363		2	
40 R99-3794-01 99-3794-01, 99-3794-03 Bed Bar - Aggressive 1 40 R106-2648-01 106-2648-01 Bed Bar 1 41 R52-2890 52-2890 Bushing - Flanged 2 42 R52-2900 52-2900 Washer - Nylon 4 43 R99-3773 99-3773 Bolt- Plow 3/8-16 x 1 3/4 2	38	R106-5344	106-5344	Bushing - Flanged and Keyed	4	
40 R99-3794-01 99-3794-03 Bed Bar - Aggressive 1 40 R106-2648-01 106-2648-01 Bed Bar 1 41 R52-2890 52-2890 Bushing - Flanged 2 42 R52-2900 52-2900 Washer - Nylon 4 43 R99-3773 99-3773 Bolt- Plow 3/8-16 x 1 3/4 2	39	R99-2097	99-2097	Detent - Bed Bar Adjuster	2	
41 R52-2890 Bushing - Flanged 2 42 R52-2900 52-2900 Washer - Nylon 4 43 R99-3773 99-3773 Bolt- Plow 3/8-16 x 1 3/4 2	40	R99-3794-01		Bed Bar - Aggressive	1	
42 R52-2900 52-2900 Washer - Nylon 4 43 R99-3773 99-3773 Bolt- Plow 3/8-16 x 1 3/4 2	40	R106-2648-01	106-2648-01	Bed Bar	1	
43 R99-3773 99-3773 Bolt- Plow 3/8-16 x 1 3/4 2	41	R52-2890	52-2890	Bushing - Flanged	2	
	42	R52-2900	52-2900	Washer - Nylon	4	
44 R115-3299 115-3299 Seal- Flocked 2	43	R99-3773	99-3773	Bolt- Plow 3/8-16 x 1 3/4	2	
	44	R115-3299	115-3299	Seal- Flocked	2	

R&R Products

Replaces Toro Greensmaster Flex 2100 Parts



DPA Cutting Unit - Model 04251 & 04252 Reel & Bedknife

	R&R Part No.	OEM Part No.	Description	Qty Req	Order Quantity
45	R119-9303	105-5799, 119-9303	Frame - Crossmember	1	
46	R115-6882	115-6882	Hex Shaft - Reel	1	
47	R104-2603	104-2603, 119-4158	Washer - HOC Bracket	2	
48	R115-7193	115-7193	Nut-HOC	2	
50	R32121-69	119-4033, 120-8095, 32121-69	Pin - Roll 1/4 x 1-1/4	2	
51	R115-6923	115-6923	Shield - Bearing - Flocked	1	
52	R115-6869	115-6869	Bearing - Ball -Stainless	2	
53	R119-4005	119-4005	Side Plate Assy-LH Incl R117-6619	1	
54	R119-4007	119-4007	Side Plate Assy-RH Incl R117-6619	1	
55	R115-7042	115-7042	Bolt-Shoulder, Flange	4	
56	R458461	32151-34	Snap Ring	1	
57	R32153-3	119-4038, 22-12-AJFD, 32127-35, 32146-5, 32153-3, 3296-18, 3296-29, 3296-31, N/A	Locknut - 5/16-18 ESNA Zinc	4	
58	R104-8300	104-8300, 104-8300 , 119-4041	Locknut - 5/16-18 Flanged Y/Zinc	4	